



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/521,665	01/18/2005	Ekkehard Pott	101215-177	1203
27387 7590 12/02/2008 NORRIS, MCLAUGHLIN & MARCUS, P.A. 875 THIRD AVE 18TH FLOOR NEW YORK, NY 10022				
EXAMINER				
NGUYEN, TU MINH				
ART UNIT		PAPER NUMBER		
3748				
MAIL DATE		DELIVERY MODE		
12/02/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/521,665

Applicant(s)

POTT ET AL.

Examiner

TU M. NGUYEN

Art Unit

3748

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 January 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 37-53 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 37-53 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 18 January 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-8508)
- Paper No(s)/Mail Date 20051020
- 4) ☐ Interview Summary (PTO-413)
- Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. An Applicant's Preliminary Amendment filed on January 18, 2005 has been entered. Claims 1-36 have been canceled. Claims 37-53 have been added and are pending in this application.

Specification

2. The abstract of the disclosure is objected to because of the use of open ended phrase "comprising" on line 1; "1.3" should probably read --1.3 litre-- on line 5; and "3.5" should read --3.5 g-- on line 9. Correction is required. See MPEP § 608.01(b).
3. The following guidelines illustrate the preferred layout for the specification of a utility application. These guidelines are suggested for the applicant's use.

Arrangement of the Specification

As provided in 37 CFR 1.77(b), the specification of a utility application should include the following sections in order. Each of the lettered items should appear in upper case, without underlining or bold type, as a section heading. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- (a) TITLE OF THE INVENTION.
- (b) CROSS-REFERENCE TO RELATED APPLICATIONS.
- (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
- (d) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC (See 37 CFR 1.52(e)(5) and MPEP 608.05. Computer program listings (37 CFR 1.96(c)), "Sequence Listings" (37 CFR 1.821(c)), and tables having more than 50 pages of text are permitted to be submitted on compact discs.) or
REFERENCE TO A "MICROFICHE APPENDIX" (See MPEP § 608.05(a). "Microfiche Appendices" were accepted by the Office until March 1, 2001.)
- (e) BACKGROUND OF THE INVENTION.
 - (1) Field of the Invention.

- (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (f) BRIEF SUMMARY OF THE INVENTION.
- (g) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).
- (h) DETAILED DESCRIPTION OF THE INVENTION.
- (i) CLAIM OR CLAIMS (commencing on a separate sheet).
- (j) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).
- (k) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if the required "Sequence Listing" is not submitted as an electronic document on compact disc).

Claim Objections

4. Claims 37, 40, and 52 are objected to because of the following informalities:
- Claim 37, on line 2 of the claim, "capable of" should read --adapted for-- because the phrase "capable of" renders the claim indefinite. On line 4 of the claim, "capitalist" should read --catalyst--. And on line 5 of the claim, "1.3" should probably read --1.3 litre--.
- Claim 40, on line 3 of the claim, "pre--catalysts" should read --pre-catalyst--.
- Claim 52, line 2 of the claim, "capable of" should read --adapted for-- because the phrase "capable of" renders the claim indefinite.
- Appropriate correction is required.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office Action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 37-53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Abe et al. (U.S. Patent 5,802,845).

Re claim 37 and 38, as shown in Figure 5, Abe et al. disclose an internal combustion engine installation having a gasoline engine (ENGINE) (see lines 30-33 of column 4) and a catalyst system which is downstream from the gasoline engine and has at least one catalyst (Catalyst A), characterized in that the catalyst system (Catalyst A) has a total catalyst volume (KV) of less than $0.6 \times$ the engine displacement (VH) (see lines 61-65 of column 9), and that the average specific noble metal loading of the at least one catalyst of the catalyst system is less than 3.59 g/dm^3 (lines 44-45 of column 5), the total mass of noble metal of the at least one catalyst being less than 2 g per liter of engine displacement (VH).

Abe et al., however, fail to disclose that the engine installation is a directly injected gasoline type engine which is adapted for operating in a stratified manner only slightly if at all.

Abe et al. disclose the claimed invention except for applying the invention to a directly injected gasoline type engine adapted for operating in a slightly stratified manner only. It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the invention of Abe et al. to a directly injected gasoline type engine, since the recitation of such amounts to an intended use statement. Note that both "directly injected gasoline engine" and "carburetor gasoline engine" generate exhaust gases containing harmful emissions of HC, NOx, soot, CO, etc, that require purification before the gases can be released to the atmosphere; and the mere selection of the purification system of Abe et al. for use in a directly injected gasoline engine would be well within the level of ordinary skill in the art.

Re claim 39, since the engine of Abe et al. has a catalyst substantially the same size as that of the pending application, it is obvious that the engine installation of Abe et al. is characterized in that the catalyst system has a catalyst volume (KV) of less than 1.15 L per 100 kW of rated horsepower (PNENN) and especially of less than 1.00 L per 100 kW.

Re claim 40, as shown in Figure 8, the engine installation of Abe et al. is characterized in that the catalyst system consists of at least two main catalysts (Catalyst B and Catalyst C), arranged in parallel with at least one pre-catalyst (EHC).

Re claim 41, the engine installation of Abe et al. is characterized in that the average specific noble metal loading of the at least one catalyst (Catalyst A) of the catalyst system is especially not more than 2.15 g/dm^3 (see lines 44-45 of column 5).

Re claims 42 and 47, the engine installation of Abe et al. is characterized in that the pre-catalyst or pre-catalysts (EHC) have a specific noble metal loading, which is higher by up to 70%, especially by up to 50% and preferably by up to 30% than that of the main catalyst (Catalyst A) (see lines 23-49 of column 13 and lines 44-45 of column 5).

Re claim 43, the engine installation of Abe et al. is characterized in that the total mass of noble metal of the catalyst system is less than 1.6 g per liter of engine displacement (VH) of the gasoline engine, especially less than 1.2 g per liter of engine displacement, preferably at less than 1.0 g per liter of engine displacement and, particularly preferably, less than 0.8 g per liter of engine displacement.

Re claim 44, the engine installation of Abe et al. is characterized in that the total mass of noble metal of the catalyst system is less than 3 g per 100 kW of rated horsepower of the gasoline engine, particularly less than 2.5 g per 100 kW of rated horsepower, preferably less than

2.1 g per 100 kW of rated horsepower and particularly preferably less than 1.7 g per 100 kW of rated horsepower.

Re claim 48, the engine installation of Abe et al. is characterized in that the catalyst or catalysts of the catalyst system, especially of the at least one catalyst (Catalyst A) are based on a ceramic support (see lines 31-37 of column 5).

Re claim 50, the engine installation of Abe et al. is characterized in that the at least one pre-catalysts (EHC) has a support based on metal foil (lines 20-23 of column 7).

Re claim 52, the engine installation of Abe et al. is characterized in that the gasoline engine (12) is adapted for stratified operation in less than 7% of all operating points, especially in less than 5% of all operating points and preferably in less than 3% of all operating points

Re claim 53, the engine installation of Abe et al. is characterized in that the gasoline engine is naturally aspirated.

Re claim 45, the engine installation of Abe et al. discloses the invention as cited above, however, fails to disclose that the at least one catalyst (Catalyst A) or the at least one pre-catalyst (EHC) is at a distance of less than 800 millimeter exhaust gas pipeline length from the nearest outlet valve of the gasoline engine, particularly less, than 500 mm of exhaust gas pipeline length and preferably less than 300 mm of exhaust gas pipeline length.

Abe et al. disclose the claimed invention except for specifying an optimum range of distance between the at least one catalyst (Catalyst A) or the at least one pre-catalyst (EHC) and the nearest outlet valve of the engine of less than 300 mm. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide a specific optimum range of said distance, since it has been held that where the general conditions of a claim are

disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

Re claim 46, the engine installation of Abe et al. discloses the invention as cited above, however, fails to disclose that the at least one pre-catalyst (EHC) and the at least one downstream main catalyst (Catalyst A) are at a distance of more than 100 mm from one another.

Abe et al. disclose the claimed invention except for specifying an optimum range of distance between the at least one downstream catalyst (Catalyst A) and the at least one pre-catalyst (EHC) of less than 100 mm. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide a specific optimum range of said distance, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

Re claims 49 and 51, the engine installation of Abe et al. is characterized in that the catalyst or catalysts (Catalyst A) are based on a ceramic support, have a cell density of more than 400 cpsi (see lines 49-53 of column 12); and that the at least one pre-catalyst (EHC) has a cell density of more than 450 cpsi (see lines 37-44 of column 13). Abe et al., however, fail to disclose that the catalyst (Catalyst A) and the pre-catalyst (EHC), each has a cell density of more than 500 cpsi.

Abe et al. disclose the claimed invention except for specifying an optimum range of cell density for the catalyst (Catalyst A) and the at least one pre-catalyst (EHC) of more than 500 cpsi. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide a specific optimum range of cell density for each of the Catalyst A and the

EHC, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

Prior Art

7. The IDS (PTO-1449) filed on October 20, 2005 has been considered. An initialized copy is attached hereto.
8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure and consists of three patents and one patent application: Machida et al. (U.S. Patent 5,494,881), Noda et al. (U.S. Patent 5,884,473), Otani et al. (U.S. Patent 6,689,328), and Bruck et al. (U.S. Patent Application 2002/0061268) further disclose a state of the art.

Communication

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Tu Nguyen whose telephone number is (571) 272-4862.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Thomas E. Denion, can be reached on (571) 272-4859. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TMN

November 23, 2008

/Tu M. Nguyen/

Tu M. Nguyen

Primary Examiner

Art Unit 3748